




THIS DRAWING IS A CONTROLLED DOCUMENT.

CONNECTOR	
PINOUT	
PIN NO.	DESIGNATION
1	Y
2	H
3	S
4	X
5	L

DWG NO
MS600664



- NOTES:
1. FINISHED PART THICKNESS 3.48±.3mm.
 2. THE BORDER AREA OF THE SCREEN IS FLAT WITHIN ±.05mm.
 3. THE CABLE ATTACHMENT AREA IS SEALED.
 4. PIN OUT IS NOT ELO STANDARD AND MAY REQUIRE AN ADAPTER TO WORK WITH ELO CONTROLLER.
 5. ROHS COMPLIANT
 6. DISTANCE OF ELECTRODE PATTERN TO ACTIVE AREA ON FPC SIDE IS 3.26±0.95mm.
 7. FPC SEALANT DOES NOT REACH CLOSER TO THE ACTIVE AREA THAN THE ELECTRODE.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS CORPORATION, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC
08
DIST
08

REV	DATE	BY	APP'D	DESCRIPTION
A	08/28/08	RD		INITIAL RELEASE PER ECG 08-024066

REV	DATE	BY	APP'D	DESCRIPTION
A	08/28/08	RD		INITIAL RELEASE PER ECG 08-024066

DESIGNER	D. SCHARFF	DATE	08/28/08
MARKING DRAWING	SON-AS-FL118.0-F05-011-R	SHEET	1 OF 1
MARKING	MS600664	REV	A

AMP #487526-4 OR EQUIVALENT

PART NO. E468244